330 OUTRAGE

2022 MODEL YEAR



SPECIFICATIONS

L.O.A. 33' 1" (10.08 m) BEAM 10' 2" (3.10 m) DRAFT 22" (0.55 m) WEIGHT (dry, no engine) 9,000 lbs (4,083 kg) WEIGHT (with engines, fuel and water) 12,579 lbs (5,705 kg) MAXIMUM WEIGHT CAPACITY 4,140 lbs (1,878 kg) SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)		
DRAFT 22" (0.55 m) WEIGHT (dry, no engine) 9,000 lbs (4,083 kg) WEIGHT (with engines, fuel and water) 12,579 lbs (5,705 kg) MAXIMUM WEIGHT CAPACITY 4,140 lbs (1,878 kg) SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 40 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	L.O.A.	33' 1" (10.08 m)
WEIGHT (dry, no engine) WEIGHT (with engines, fuel and water) WEIGHT (with engines, fuel and water) 12,579 lbs (5,705 kg) MAXIMUM WEIGHT CAPACITY 4,140 lbs (1,878 kg) SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	BEAM	10' 2" (3.10 m)
WEIGHT (with engines, fuel and water) MAXIMUM WEIGHT CAPACITY 4,140 lbs (1,878 kg) SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	DRAFT	22" (0.55 m)
MAXIMUM WEIGHT CAPACITY 4,140 lbs (1,878 kg) SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	WEIGHT (dry, no engine)	9,000 lbs (4,083 kg)
SWAMPED CAPACITY 4,260 lbs (1,932 kg) PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	WEIGHT (with engines, fuel and water)	12,579 lbs (5,705 kg)
PERSONS CAPACITY 14 MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	MAXIMUM WEIGHT CAPACITY	4,140 lbs (1,878 kg)
MAXIMUM HORSEPOWER 800 hp (597 kW) MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 40 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	SWAMPED CAPACITY	4,260 lbs (1,932 kg)
MINIMUM HORSEPOWER 500 hp (372 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	PERSONS CAPACITY	14
MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	MAXIMUM HORSEPOWER	800 hp (597 kW)
TRANSOM HEIGHT 30" (0.76 m) TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	MINIMUM HORSEPOWER	500 hp (372 kW)
TRANSOM ANGLE 15° DEADRISE AT TRANSOM 23° FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	MAXIMUM ENGINE WEIGHT	1,400 lbs (635 kg)
DEADRISE AT TRANSOM FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	TRANSOM HEIGHT	30" (0.76 m)
FUEL CAPACITY 300 gallons (1,135 L) WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	TRANSOM ANGLE	15°
WASTE CAPACITY 6.5 gallons (24.6 L) WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	DEADRISE AT TRANSOM	23°
WATER CAPACITY 40 gallons (151 L) LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	FUEL CAPACITY	300 gallons (1,135 L)
LIVEWELL VOLUME 50 gallons (189.2 L) BRIDGE CLEARANCE (with top) 9' 10" (3 m)	WASTE CAPACITY	6.5 gallons (24.6 L)
BRIDGE CLEARANCE (with top) 9' 10" (3 m)	WATER CAPACITY	40 gallons (151 L)
401 (117 77 401 0117 77 401	LIVEWELL VOLUME	50 gallons (189.2 L)
43, 4, I X 10, 5, M X 13,	BRIDGE CLEARANCE (with top)	9° 10" (3 m)
PACKAGE BOAT SPECS (on trailer/engine up) 43 4 L X 10 2 W X 12 4"H	PACKAGE BOAT SPECS (on trailer/engine up)	43' 4"L X 10' 2"W X 12' 4"H
EUROPEAN CERTIFICATION B	EUROPEAN CERTIFICATION	В



STANDARD EQUIPMENT

- > All hardware 316-L stainless steel
- > All rails welded 316-L stainless steel

DECK/COCKPIT

- > 8" stainless steel cleats anchor locker (1)
- > 8" stainless steel pop-up cleats cross tie cleats at transom (2)
- > 10" stainless steel cleats bow (2), spring line with hawse pipes (2), stern with hawse pipes (2)
- > 28" interior freeboard
- > Bow and stern eyes
- > Cockpit coaming bolsters
- > Covered telescoping swim ladder with stainless steel grab rail
- > Dedicated storage for dive ladder
- > Grab rails forward lounge (2), leaning post (2)
- > Hawse pipes (2) with drink holders at stern
- > Heavy-duty rub rail
- > Low profile interior bow rail welded stainless steel
- > Molded fiberglass portside dive/boarding door with removable stainless steel dive ladder
- > Motorwell drains
- > Rod holders gunnel mounted (8)
- > Rod holders transom mounted (3)
- > Self-bailing cockpit
- > Stainless steel thru hull anchor roller davit
- > Toe rails stainless steel (2 per side)
- > Transom door with stainless steel latch
- > Windlass with 200' rode, 25' chain and stainless steel plow anchor

CONSOLE/HEAD

- > 12V receptacle
- > Acrylic entry door with lock
- > Cast stainless steel steering wheel with knob
- > Compass
- > Drink holders (2)
- > Electronics mounting surface with space for dual displays
- > Electronics switch panel with illuminated switches
- > Head compartment tackle storage includes (4) tackle storage trays
- > Interior courtesy lights
- > Molded console footrests and fold-down helm standing platform with molded-in non-skid surface
- > Molded inner liner
- > Opening porthole with screen (1)
- > Remote located circuit breaker panel
- > Remote ignition key switches with pushbutton start at helm

- > Sink with pullout sprayer
- > Stereo Fusion*, iPod/iPhone dock audio, AM/ FM/USB audio/VHF/WX/Sirius XMTM ready, JL waterproof speakers (4), remote control at helm and USB/MPS input (Fusion* integration into Raymarine with Navigation Package)(Fusion* Bluetooth enabled)
- > Storage cabinets
- > VacuFlush™ toilet with holding tank, overboard discharge and dockside pump-out

SEATING

- > Foldaway stern bench seat
- > Forward console lounge (60" length) with flipdown armrests, 2 cup holders and recessed grab rails (2)
- > Forward island deck seating with drink holders (2), bolsters and removable cushions
- > Helm and companion bolster style seats with storage console

STORAGE

- > Bow anchor locker with drain
- > Glove box at helm
- > Insulated in-floor fishboxes with pump-out (57 gallons) at aft (2)
- > Lockable console front storage holds 10 rods, optional 36 quart cooler and miscellaneous gear (optional scuba tank racks available for 6 tanks)
- Port aft storage at fishing prep area (can store a 5 gallon bucket)
- > Under gunnel rod racks

HARDTOP/WINDSHIELD SYSTEM

(must select color, white or black)

- > Bow area flood light
- > Cockpit area flood lights (2)
- > Dome light (red and white)
- > Electronics box
- > LED blue lighting
- Lifejacket storage
- > Outrigger ready
- > Rod holders (5)
- > Tempered glass windshield with power actuated vent
- > Windshield wiper with wash system

LEANING POST

- > Aft facing couch with convertible work surface and drink holders (4)
- > Cutting board
- > Drink holders (4)
- > Grab rails (3)



330 OUTRAGE

2022 MODEL YEAR



- > Leaning post storage under aft-facing seat (optional 40 gallon livewell)
- > Storage drawers (3)

MECHANICAL

- > 12-V receptacles (3)
- > 300 V8 DTS Black Dual Mercury Verado engines with hydraulic power steering
- > Fuel tank (300 gallon)
- > Automatic bilge pump and sump box (1,100 GPH forward, 2,000 GPH aft (2))
- > Battery trays (3) with switches
- > Engine fuel / water separators
- > Freshwater system (40 gallons) with sink in console, transom shower and anchor washdown
- > Instrumentation and electrical switch panel with circuit breaker protection
- > LED cockpit lighting (blue)
- > Livewell transom on centerline (50 gallons)
- > Navigation lights
- > Raw water washdown
- > Shore power with battery charger and galvanic isolator
- > Stainless steel propellers
- > Tilt steering
- > Transducer mount areas
- > Variable running surface with single electric ram and indicator
- > Vessel View 4" (Mercury)

VESSEL VIEW MOBILE

- > Display key engine data on your smartphone (Android or Apple iPhone)
- > Bluetooth connection vi Vessel View Mobile app (compatible while connected to stereo)
- > Troubleshooting assistance with dealer notification

NOTABLE OPTIONS & ACCESSORIES

- ☐ 12-V DC receptacles at transom for electric reels / downriggers (2)
- ☐ Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- ☐ Anchor windlass chain (150')
- ☐ Batteries GR31 AGM (factory installed)
- $\hfill\Box$ Bilge storage aft
- ☐ Bow thruster (12-V)(not compatible with Joystick Piloting options)
- ☐ Bow tow eye

- ☐ Casting platform with cushion and canvas cover bow
- ☐ Dynamic Running Surface (DRS) self leveling tab system
- ☐ Fender hangers stainless steel (6)
- ☐ Gyroscopic Stabilizer (SeaKeeper) (2000 N-M-S gyro) (deletes summer kitchen option) (must select leaning post with gyro option)
- ☐ Leaning post with gyro (deletes summer kitchen option) (includes sink and tip-out storage drawers (3)) (must select gyroscopic stabilizer option)
- ☐ Leaning post livewell (40 gallon)(with standard leaning post only)
- ☐ Leaning post with cooler includes: storage drawers
 (3), cutting board, sink, storage lid, Yeti cooler with dedicated storage
- ☐ Lighting underwater LED
- ☐ Outriggers radial outriggers hardtop mounted
- ☐ Rails bow rail (stainless steel)(replaces low profile bow rail) (not compatible with mooring cover, full helm canvas enclosure or wing curtains)
- ☐ Rails split bow rail (replaces low profile bow rail)

 (not compatible with mooring cover, full helm canvas enclosure or wing curtains)
- ☐ Rails white rub rail with stainless steel inserts
- ☐ Refrigerator cockpit (12/120V)(available in STD or optional leaning post)
- ☐ Scuba tank racks (6)
- \square Spotlight
- ☐ Summer kitchen includes: electric grill with 1500watt inverter (must select leaning post with cooler option)
- ☐ Sunshade at bow
- $\hfill\square$ Sunshade at cockpit
- ☐ Table aft cockpit table with teak overlay
- ☐ Table bow table (removeable)
- ☐ Table bow table with teak overlay (includes black canvas cover) (not compatible with bow casting platform)

SEATING

- \square Seating fold-down trolling seats (2)
- $\hfill\Box$ Seating sun lounge filler (must select bow table)

EXTERIOR UPHOLSTERY COLOR

- ☐ Shore (Tan) (Standard) All exterior upholstery (based on option selection), console dash tan gel coat
- ☐ Sea (Gray) All exterior upholstery (based on option selection), console dash gray gel coat

TOPS/TOWERS

☐ Hardtop gelcoat (hardtop underside color matches hull

color) (must select hardtop) (options include abaco blue or platinum)

ENGINES

- ☐ 300 V8 DTS White Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- □ 350 L6 DTS Black Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- ☐ 350 L6 DTS White Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- ☐ 300 V8 DTS Black Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)
- ☐ 300 V8 DTS White Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)
- □ 350 L6 DTS Black Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- □ 350 L6 DTS White Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- ☐ 400 L6 DTS Black Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- ☐ 400 L6 DTS White Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- □ 400 L6 DTS Dual Black Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or Vessel View 4" Display)



330 OUTRAGE

2022 MODEL YEAR



□ 400 L6 DTS Dual White Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or Vessel View 4" Display)

ELECTRONICS

- □ NAUTIC-ON remote connectivity (must select battery charging system or summer kitchen) (deletes vessel view mobile) includes: 24/7 access to your boat's information using the NAUTIC-ON app, monitor house and engine battery state and bilge pump activity, review live engine data and diagnostics, track location with Smart Breadcrumbing and GeoFence, view weather conditions at the boat, 3 month free subscription
- ☐ Premium audio (upgraded speakers X6, 10" sub, 800W amp)
- ☐ Raymarine Autopilot SmartPilotTM with 3.5" color TFT display (must select navigation package)(not compatible with Joystick piloting)
- ☐ Raymarine 12" Axiom Pro RVX Electronics / Navigation Package (Raymarine Axiom Pro-RVX 12.1" MFD) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- ☐ Raymarine 12" Axiom Pro S Additional Display Electronics Package (Raymarine Axiom Pro S 12.1" with single channel CHIRP sonar) (CPT100 Transom Mount Transducer)
- ☐ Raymarine 12" Axiom RV Electronics / Navigation
 Package (Raymarine Axiom RV 12.1" screen) (GPS/
 chart plotter/fishfinder) (1000W thru-hull transducer
 B175 Med) (Navionics Chart Card: North America/
 Canada)
- ☐ Raymarine 12" Axiom Additional Display Electronics
 Package (Raymarine Axiom RV 12.1" screen) (GPS/
 chart plotter/fishfinder) (must select a navigation
 package) (not compatible with Vessel View 7)
- ☐ Raymarine 16" Axiom Pro RVX Electronics / Navigation Package (Raymarine Axiom Pro-RVX 15.6" MFD) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- ☐ Raymarine 16" Axiom Pro S Additional Display Electronics Package (Raymarine Axiom Pro S 15.6" with single channel CHIRP sonar) (CPT100 Transom Mount Transducer)
- ☐ Raymarine 16" Axiom XL Electronics / Navigation

- Package (Raymarine Axiom XL 16" screen) (Raymarine Sounder RVX-1000) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- ☐ Raymarine 16" Axiom XL Additional Display Electronics Package (Raymarine Axiom XL 16" screen)

 (GPS/chart plotter/fishfinder) (dash surface custom black acrylic integrated with switch panels)
- ☐ Raymarine Radar Magnum Open Array with Satellite
 Weather (must select a navigation package) (requires
 monthly subscription) (Raymarine 4kW Magnum Digital Radar with 48" Open Array Antenna) (Raymarine
 Sirius marine weather receiver)
- ☐ Raymarine Radar Open Array (4kW magnum digital radar with 48" open array antenna)(must select a navigation package)
- ☐ Raymarine Radar Radome (4kW 24" high definition digital radome)(must select a navigation package)
- ☐ Raymarine Ray63 VHF radio with GPS and wireless handset
- ☐ Raymarine Satellite Weather (requires monthly subscription)(must select navigation package)
- ☐ RealVision 3D Sonar Direct Connect (CHIRP Downvision, Sidevision)(must select Axiom RVX Navigation Package)(RV-100 3D Transom Mount Transducer)
- ☐ Satellite radio Sirius® satellite receiver with antenna
- ☐ Vessel View 7" (Mercury SmartCraft)(color LCD display)(network connections to Raymarine with Navigation Package)

CANVAS

- ☐ Canvas cover package includes: black sunbrella, cockpit seat back cover, console cover, forward cushion covers, helm seat cover, storage garage cover (all black)
- ☐ Full canvas mooring cover from hardtop to fore and aft deck coverage (not compatible with high bow rail)
- ☐ Hardtop enclosure curtains (full beam aft enclosure behind helm seating, wing curtains and side enclosure), white or black

COLORED HARDTOP FRAME (must select color)

- \square White (standard)
- ☐ Black

COLOR PAINTED HULLS

- ☐ Abaco Blue
- ☐ Fighting Lady Yellow
- ☐ Horizon Blue

- ☐ Ice Blue
- ☐ Jadestone
- ☐ Oyster Grey
- ☐ Platinum
- ☐ Sand Metallic
- ☐ Steel Blue
- ☐ Tectonic Silver
- □ Wasabi

GRAPHICS (BW logo, stripe)

- \square Black graphics
- ☐ Blue graphics
- ☐ Chrome graphics (with silver stripe)
- ☐ Red graphics
- $\hfill\Box$ Silver graphics
- \square White graphics

